

Q-HOE

株式会社
キューホー

Q-HOE

都府県

PartsList

2025

「あったらいいな」を
“カタチ”にする



水田用除草機8条

※セット内容により部品が異なる場合があります。

ASHORVGRI

キューホーの歴史は「チャレンジ」と「改善」の歴史。
会社設立から約30年、より優れた製品を生み出す
循環の重要な柱として、日々改善に取り組んできた。
その「改善」＝「KAIZEN」は、今や世界共通の言語。


ASHORVGRI

〒089-3721

北海道足寄郡足寄町旭町5丁目71-1


TEL：0156-25-5806

FAX：0156-25-6121




	商品型式	部品名	個数	備考	税抜単価
1	PIS2-A-1	フレーム	1	条間30CM用	21,700
2	PIS2-A33-1	フレーム(33)	1	条間33CM用	21,700
3	-	-	1	詳細3ページ	-
4	-	-	1	詳細5ページ	-
5	PIS2-H-1	スプリングアタッチ(L)	1		6,600
6	PIS2-I-1	スプリングアタッチ(R)	1		6,600
7	PBT10020-8	8. 8BT M10×20	4		480
8	PSW10	SW M10	4		440
9	PHW102216	平W M10(10×22×1.6)	4		440
10	-	スリックフローステー付	2	詳細9ページ	-
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					



発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。



	商品型式	部品名	個数	備考	税抜単価
46	PIS2-SEL-1	ブラケットSE(左)ASSY	1	詳細7ページ	37,800
47	PIS2-SER-1	ブラケットSE(右)ASSY	1	詳細7ページ	37,800
48	-	レーキ取付バーB関係	1	詳細15ページ	-
49	-	レーキ取付バーA関係	1	詳細13ページ	-
50	-	カゴ取付バー関係	1	詳細11ページ	-
51	PIS2-J-1	チェーンアタッチ	1		5,100
52	PBT10025-8	8. 8BT M10×25	2		480
53	PBT10020-8	8. 8BT M10×20	2		480
54	PSW10	SW M10	4		440
55	PHW102216	平W M10(10×22×1.6)	4		440
56	-	延長レーキ取付バーB関係	1	詳細17ページ	-
57	-	延長レーキ取付バーA関係	1	詳細17ページ	-
58	-	延長カゴ取付バー関係	1	詳細17ページ	-
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					




	商品型式	部品名	個数	備考	税抜単価
91	PIS2-SEL-1	ブラケットSE(左)ASSY	1	詳細7ページ	37,800
92	PIS2-SER-1	ブラケットSE(右)ASSY	1	詳細7ページ	37,800
93	-	レーキ取付バーB関係	1	詳細15ページ	-
94	-	レーキ取付バーA関係	1	詳細13ページ	-
95	-	カゴ取付バー関係	1	詳細11ページ	-
96	PIS2-J-1	チェーンアタッチ	1		5,100
97	PBT10025-8	8. 8BT M10×25	2		480
98	PBT10020-8	8. 8BT M10×20	2		480
99	PSW10	SW M10	4		440
100	PHW102216	平W M10(10×22×1.6)	4		440
101	-	延長レーキ取付バーB関係	1	詳細19ページ	-
102	-	延長レーキ取付バーA関係	1	詳細19ページ	-
103	-	延長カゴ取付バー関係	1	詳細19ページ	-
104					
105					
106					
107					
108					
109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120					
121					
122					
123					
124					
125					
126					
127					
128					
129					
130					
131					
132					
133					
134					
135					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					




	商品型式	部品名	個数	備考	税抜単価
136	PIS2-B-1	ビームプレート(L)	1		6,100
137	PIS2-D-1	Sビーム(L)	2		7,200
138	PIS2-E-1	Sビーム(R)	1		7,200
139	PBT10020-8	8. 8BT M10×20	6		480
140	PSW10	SW M10	9		440
141	PHW102216	平W M10(10×22×1.6)	6		440
142	PIS-BT-1	ハンドルBTS	3		6,300
143					
144	PIS2-C-1	ビームプレート(R)	1		6,100
145	PIS2-E-1	Sビーム(R)	2		7,200
146	PIS2-D-1	Sビーム(L)	1		7,200
147	PBT10020-8	8. 8BT M10×20	6		480
148	PSW10	SW M10	9		440
149	PHW102216	平W M10(10×22×1.6)	6		440
150	PIS-BT-1	ハンドルBTS	3		6,300
151					
152					
153					
154					
155					
156					
157					
158					
159					
160					
161					
162					
163					
164					
165					
166					
167					
168					
169					
170					
171					
172					
173					
174					
175					
176					
177					
178					
179					
180					



発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。





	商品型式	部品名	個数	備考	税抜単価
181	PIS-FROT-1	スリックフローステー付	1		18,200
182	PIS2-AA-1	フロート金具A(ステー)	1		6,900
183	PIS2-AB-1	フロート金具B	2		5,300
184	PIS2-AC-1	スリックフロート	1		7,800
185	PBT10035-8	8. 8BT M10×35	2		480
186	PBTN10025-4	根角BT M10×25	4		490
187	PHW102216	平W M10(10×22×1.6)	4		440
188	PNTSW1015	スプリングNT M10	6		480
189	PU-BD50-1	ブラケットD(50角)	1		9,000
190	PBT12110-8	8. 8BT M12×110	2		610
191	PSW12	SW M12	2		440
192	PHW122623	平W M12(12×26×2.3)	2		440
193	PBT10030-8	8. 8BT M10×30	1		480
194	PNT1015	NT M10	1		440
195	PIS2-AD-1	コ型フラットバーS	1		8,100
196	PBT10030-8	8. 8BT M10×30	1		480
197	PNT1015	NT M10	1		440
198					
199					
200					
201					
202					
203					
204					
205					
206					
207					
208					
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					



	商品型式	部品名	個数	備考	税抜単価
226	PIS2-G-1	カゴ取付バーS	1	条間30CM用	10,120
227	PIS2-G33-1	カゴ取付バーS(33)	1	条間33CM用	10,120
228	PKBG-1L	ガス抜きLサイズASSY(左)	3		44,000
229	PKBG-1C	ガス抜きLサイズASSY(センター)	1		44,000
230					
231	PIS2-G-1	カゴ取付バーS	1	条間30CM用	10,120
232	PIS2-G33-1	カゴ取付バーS(33)	1	条間33CM用	10,120
233	PKBG-1R	ガス抜きLサイズASSY(右)	3		44,000
234					
235					
236					
237					
238					
239					
240					
241					
242					
243					
244					
245					
246					
247					
248					
249					
250					
251					
252					
253					
254					
255					
256					
257					
258					
259					
260					
261					
262					
263					
264					
265					
266					
267					
268					
269					
270					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					






	商品型式	部品名	個数	備考	税抜単価
271	PIS2-F-1	レーキ取付バーS	1	条間30CM用	10,120
272	PIS2-F33-1	レーキ取付バーS(33)	1	条間33CM用	10,120
273	P025-1HS	Hレーキ(水田用)	3		14,300
274	PBT10020-8	8. 8BT M10×20	3		480
275	PSW10	SW M10	3		440
276					
277	PIS2-F-1	レーキ取付バーS	1	条間30CM用	10,120
278	PIS2-F33-1	レーキ取付バーS(33)	1	条間33CM用	10,120
279	P025-1HS	Hレーキ(水田用)	3		14,300
280	PBT10020-8	8. 8BT M10×20	3		480
281	PSW10	SW M10	3		440
282					
283					
284					
285					
286					
287					
288					
289					
290					
291					
292					
293					
294					
295					
296					
297					
298					
299					
300					
301					
302					
303					
304					
305					
306					
307					
308					
309					
310					
311					
312					
313					
314					
315					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					




	商品型式	部品名	個数	備考	税抜単価
316	PIS2-F-1	レーキ取付バーS	1	条間30CM用	10,120
317	PIS2-F33-1	レーキ取付バーS(33)	1	条間33CM用	10,120
318	P025-1SS	Sレーキ(水田用)	3		14,300
319	PBT10020-8	8. 8BT M10×20	3		480
320	PSW10	SW M10	3		440
321	PKML-1L	米輪ダブルASSY(左)	3		44,000
322					
323	PIS2-F-1	レーキ取付バーS	1	条間30CM用	10,120
324	PIS2-F33-1	レーキ取付バーS(33)	1	条間33CM用	10,120
325	P025-1SS	Sレーキ(水田用)	3		14,300
326	PBT10020-8	8. 8BT M10×20	3		480
327	PSW10	SW M10	3		440
328	PKML-1R	米輪ダブルASSY(右)	3		44,000
329					
330					
331					
332					
333					
334					
335					
336					
337					
338					
339					
340					
341					
342					
343					
344					
345					
346					
347					
348					
349					
350					
351					
352					
353					
354					
355					
356					
357					
358					
359					
360					

発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。



	商品型式	部品名	個数	備考	税抜単価
361	PIS2-K-1	延長レーキ取付バーS(A)	1	条間30CM用	7,260
362	PIS2-K33-1	延長レーキ取付バーS(A)(33)	1	条間33CM用	7,260
363	P025-1SS	Sレーキ(水田用)	1		14,300
364	PBT10020-8	8. 8BT M10×20	1		480
365	PSW10	SW M10	2		440
366	PKMS-1L	米輪シングルASSY(左)	1		33,000
367	PBT10035-8	8. 8BT M10×35	1		480
368	PHW102216	平W M10(10×22×1.6)	1		440
369	PNTUN1015	薄肉ナイロンNT M10	1	(P=1.5)	470
370	PIS-BT-1	ハンドルBTS	1		6,300
371	PPLP80	パイプロックピン φ8. 0	1		1,150
372					
373	PIS2-L-1	延長レーキ取付バーS(B)	1	条間30CM用	7,260
374	PIS2-L33-1	延長レーキ取付バーS(B)(33)	1	条間33CM用	7,260
375	P025-1HS	Hレーキ(水田用)	1		14,300
376	PBT10020-8	8. 8BT M10×20	1		480
377	PSW10	SW M10	2		440
378	PBT10035-8	8. 8BT M10×35	1		480
379	PHW102216	平W M10(10×22×1.6)	1		440
380	PNTUN1015	薄肉ナイロンNT M10	1	(P=1.5)	470
381	PIS-BT-1	ハンドルBTS	1		6,300
382	PPLP80	パイプロックピン φ8. 0	1		1,150
383					
384	PIS2-M-1	延長カゴ取付バー	1	条間30CM用	7,260
385	PIS2-M33-1	延長カゴ取付バー(33)	1	条間33CM用	7,260
386	PKMBS-1L	ガス抜きSサイズASSY(左)	1		44,000
387	PBT10035-8	8. 8BT M10×35	1		480
388	PHW102216	平W M10(10×22×1.6)	1		440
389	PNTUN1015	薄肉ナイロンNT M10	1	(P=1.5)	470
390	PIS-BT-1	ハンドルBTS	1		6,300
391	PSW10	SW M10	1		440
392	PPLP80	パイプロックピン φ8. 0	1		1,150
393					
394					
395					
396					
397					
398					
399					
400					
401					
402					
403					
404					
405					

発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。




発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。

This exploded perspective view shows the assembly of a mechanical component. The main body (470) is a long, curved plate with a series of circular holes along its length. It is shown being attached to a base plate (478) which contains a series of rectangular slots. The assembly involves several screws (471, 472, 473, 474, 475, 476, 477) and a spring (480). A small bracket (481) is also shown, which is attached to the main body (470) using a screw (482). The bracket (481) has a rectangular opening (483) and a small protrusion (484). A pair of pliers (479) is shown near the spring (480).


発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。

496




	商品型式	部品名	個数	備考	税抜単価
496	PKBG-1C	ガス抜きLサイズASSY(センター)	1		44,000
497	PGA-B-2	ゲージバーS	1		8,360
498	PGA-P-1	ストッパーカラーS	1		2,420
499	PBT10030-8	8. 8BT M10×30	1		480
500	PNTSW1015	スプリングNT M10	1		480
501	PBT10035-8	8. 8BT M10×35	1		480
502	PHW102216	平W M10(10×22×1.6)	1		440
503	PGA-I-1	ジュラコンブッシュ	2		2,640
504	PNTUN1015	薄肉ナイロンNT M10	1		470
505	PKBG-AYC-2	ローター(大)センターASSY	1		27,500
506	PZ0086-03	Sカンフック(φ2.5)	1		1,700
507	PZ0087-03	引張スプリング(φ1.8×15.8×154)	1		2,200
508	PGA-A-1	クロスブラケットLL	1		9,020
509	PBT10035-11	10. 9BT M10×35	1		520
510	PNTU1015	薄肉NT M10	1		470
511	PBT10030-8	8. 8BT M10×30	1		480
512	PNT1015	NT M10	1		440
513					
514					
515					
516					
517					
518					
519					
520					
521					
522					
523					
524					
525					
526					
527					
528					
529					
530					
531					
532					
533					
534					
535					
536					
537					
538					
539					
540					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					

541




559




	商品型式	部品名	個数	備考	税抜単価
541	PKMBS-1L	ガス抜きSサイズASSY(左)	1		44,000
542	PGA-B-2	ゲージバーS	1		8,360
543	PGA-P-1	ストッパーカラーS	1		2,420
544	PBT10030-8	8. 8BT M10×30	1		480
545	PNTSW1015	スプリングNT M10	1		480
546	PBT10035-8	8. 8BT M10×35	1		480
547	PHW102216	平W M10(10×22×1.6)	1		440
548	PGA-I-1	ジュラコンブッシュ	2		2,640
549	PNTUN1015	薄肉ナイロンNT M10	1		470
550	PKBG-AYS-2	ローター(小)ASSY	1		27,500
551	PZ0086-03	Sカンフック(φ2.5)	1		1,700
552	PZ0087-03	引張スプリング(φ1.8×15.8×154)	1		2,200
553	PGA-A-1	クロスブラケットLL	1		9,020
554	PBT10035-11	10. 9BT M10×35	1		520
555	PNTU1015	薄肉NT M10	1		470
556	PBT10030-8	8. 8BT M10×30	1		480
557	PNT1015	NT M10	1		440
558					
559	PKMBS-1R	ガス抜きSサイズASSY(右)	1		44,000
560	PGA-B-2	ゲージバーS	1		8,360
561	PGA-P-1	ストッパーカラーS	1		2,420
562	PBT10030-8	8. 8BT M10×30	1		480
563	PNTSW1015	スプリングNT M10	1		480
564	PBT10035-8	8. 8BT M10×35	1		480
565	PHW102216	平W M10(10×22×1.6)	1		440
566	PGA-I-1	ジュラコンブッシュ	2		2,640
567	PNTUN1015	薄肉ナイロンNT M10	1		470
568	PKBG-AYS-2	ローター(小)ASSY	1		27,500
569	PZ0086-03	Sカンフック(φ2.5)	1		1,700
570	PZ0087-03	引張スプリング(φ1.8×15.8×154)	1		2,200
571	PGA-A-1	クロスブラケットLL	1		9,020
572	PBT10035-11	10. 9BT M10×35	1		520
573	PNTU1015	薄肉NT M10	1		470
574	PBT10030-8	8. 8BT M10×30	1		480
575	PNT1015	NT M10	1		440
576					
577					
578					
579					
580					
581					
582					
583					
584					
585					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					

586



599



	商品型式	部品名	個数	備考	税抜単価
586	PKBG-AYL-2	ローター(大)ASSY	1		27,500
587	PGA-D-1	アーム	1		5,300
588	PGA-E-2	ワク(大)	2		5,500
589	PBT08025-8	8. 8BT M8×25	2		460
590	PNTSW08125	スプリングNT M8	2		450
591	PGA-J-2	ローター(大)	1		14,300
592	PGA-N-1	ベアリングケース	2		6,100
593	PGA-O-1	ベアリング部カラー	2		2,310
594	PZ0001-01	ベアリング 608 2RSCM	2		1,800
595	PBTCS0616	皿キャップスクリュー M6×16	4		450
596	PBTN08030-4	根角BT M8×30	2		480
597	PNTN08125	ナイロンNT M8	2		460
598					
599	PKBG-AYC-2	ローター(大)センターASSY	1		27,500
600	PGA-D-1	アーム	1		5,300
601	PGA-G-2	ワク(大)センターA	1		5,300
602	PGA-H-2	ワク(大)センターB	1		5,500
603	PBT08025-8	8. 8BT M8×25	2		460
604	PNTSW08125	スプリングNT M8	2		450
605	PGA-J-2	ローター(大)	1		14,300
606	PGA-N-1	ベアリングケース	2		6,100
607	PGA-O-1	ベアリング部カラー	2		2,310
608	PZ0001-01	ベアリング 608 2RSCM	2		1,800
609	PBTCS0616	皿キャップスクリュー M6×16	4		450
610	PBTN08030-4	根角BT M8×30	2		480
611	PNTN08125	ナイロンNT M8	2		460
612					
613					
614					
615					
616					
617					
618					
619					
620					
621					
622					
623					
624					
625					
626					
627					
628					
629					
630					
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					


This diagram illustrates the assembly of a mechanical component, likely a pump or motor housing, showing the relationship between various parts. The components are labeled with circled numbers:

- 631**: A small circular component, possibly a cap or seal, located at the top left.
- 632**: A long, thin, angled bracket or support arm on the right side.
- 633**: A rectangular block or housing component at the top center.
- 634**: A small cylindrical component at the bottom right.
- 635**: A small circular component at the top center, near 633.
- 636**: A large, complex, multi-faceted component in the center, possibly a pump head or impeller housing.
- 637**: A small circular component, likely a bearing or bush, located near the center.
- 638**: A small circular component, likely a bearing or bush, located near the center.
- 639**: A small circular component, likely a bearing or bush, located near the center.
- 640**: A small circular component, likely a bearing or bush, located near the center.
- 641**: A small cylindrical component, possibly a pin or bolt, located at the bottom left and bottom right.
- 642**: A small circular component, likely a bearing or bush, located near the center.


Dashed lines indicate the assembly path and alignment of the parts.

2025/01/01

676



699



	商品型式	部品名	個数	備考	税抜単価
676	PKML-1L	米輪ダブルASSY(左)	1		44,000
677	PGA-B-2	ゲージバーS	1		8,360
678	PGA-P-1	ストッパーカラーS	1		2,420
679	PBT10030-8	8. 8BT M10×30	1		480
680	PNTSW1015	スプリングNT M10	1		480
681	PBT10035-8	8. 8BT M10×35	1		480
682	PHW102216	平W M10(10×22×1.6)	1		440
683	PGA-I-1	ジュラコンブッシュ	2		2,640
684	PNTUN1015	薄肉ナイロンNT M10	1		470
685	PKM-HBL-1	花びらBGセット(L)	1		22,700
686	PKM-HBR-1	花びらBGセット(R)	1		22,700
687	PKM-O-1	L型アーム(センター)	1		9,570
688	PHW1252016	平W M12(12.5×20×1.6)	4		450
689	PNT12175	NT M12	2		440
690	PNTSW12175	スプリングNT M12	2		480
691	PZ0086-03	Sカンフック(φ2.5)	1		1,700
692	PZ0087-03	引張スプリング(φ1.8×15.8×154)	1		2,200
693	PKM-L-2	クロスブラケットLS2	1		9,020
694	PBT10035-11	10. 9BT M10×35	1		520
695	PNT1015	NT M10	1		440
696	PBT10030-8	8. 8BT M10×30	2		480
697	PSW10	SW M10	2		440
698					
699	PKML-1R	米輪ダブルASSY(右)	1		44,000
700	PGA-B-2	ゲージバーS	1		8,360
701	PGA-P-1	ストッパーカラーS	1		2,420
702	PBT10030-8	8. 8BT M10×30	1		480
703	PNTSW1015	スプリングNT M10	1		480
704	PBT10035-8	8. 8BT M10×35	1		480
705	PHW102216	平W M10(10×22×1.6)	1		440
706	PGA-I-1	ジュラコンブッシュ	2		2,640
707	PNTUN1015	薄肉ナイロンNT M10	1		470
708	PKM-HBL-1	花びらBGセット(L)	1		22,700
709	PKM-HBR-1	花びらBGセット(R)	1		22,700
710	PKM-O-1	L型アーム(センター)	1		9,570
711	PHW1252016	平W M12(12.5×20×1.6)	4		450
712	PNT12175	NT M12	2		440
713	PNTSW12175	スプリングNT M12	2		480
714	PZ0086-03	Sカンフック(φ2.5)	1		1,700
715	PZ0087-03	引張スプリング(φ1.8×15.8×154)	1		2,200
716	PKM-L-2	クロスブラケットLS2	1		9,020
717	PBT10035-11	10. 9BT M10×35	1		520
718	PNT1015	NT M10	1		440
719	PBT10030-8	8. 8BT M10×30	2		480
720	PSW10	SW M10	2		440
発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。					

This diagram shows an exploded view of a fan assembly. Callout 767 points to the fan blades, 768 points to the fan hub, 769 points to a screw, and 770 points to a pin or clip used for securing the assembly.

This diagram shows an exploded view of a fan assembly. The main component is a fan with multiple blades, labeled 773. A mounting bracket, labeled 774, is shown below the fan. A bolt, labeled 775, is shown to the right of the bracket. A screw, labeled 776, is shown to the left of the fan. Dashed lines indicate the assembly path for the bolt and screw.

発注の際には、「商品型式・部品名・数量」で、ご注文をお願いします。